

mDNS fuckery on linux

If your having issues with .local addresses on your linux box edit your `/etc/nsswitch.conf` file by removing `NOTFOUND=return` and moving `mdns4_minimal` after `dns` on that same line

Old

```
# /etc/nsswitch.conf
#
# Example configuration of GNU Name Service Switch functionality.
# If you have the `glibc-doc-reference' and `info' packages installed, try:
# `info libc "Name Service Switch"' for information about this file.

passwd:          files systemd
group:           files systemd
shadow:          files
gshadow:         files

hosts:           files mdns4_minimal[NOTFOUND=return] dns mymachines
networks:        files

protocols:       db files
services:        db files
ethers:          db files
rpc:             db files

netgroup:        nis
```

New

```
# /etc/nsswitch.conf
#
# Example configuration of GNU Name Service Switch functionality.
# If you have the `glibc-doc-reference' and `info' packages installed, try:
# `info libc "Name Service Switch"' for information about this file.

passwd:          files systemd
```

```
group:      files systemd
shadow:    files
gshadow:    files

hosts:     files dns mdns4_minimal mymachines
networks:  files

protocols: db files
services:  db files
ethers:    db files
rpc:       db files

netgroup:  nis
```

Revision #1

Created 2023-08-15 23:39:00 UTC by Ben

Updated 2025-02-23 06:25:14 UTC by Ben